Installing APOR Data

In order to use these data sets you should be running Microsoft Windows 2000 or later.

To install the Treasury Data, follow these steps:

1. Click the download link (URL).

Windows displays the File Download dialog box.

2. Click the Save button.

Windows displays a Save As dialog box.

- 3. Use the dialog box controls to select a location to save the file (your Windows desktop, for example).
- 4. Click the Save button.
- 5. Navigate to and double-click the WKFS.Wiz.APORUpdater.exe icon.

The software displays the Updater.



- 6. Do one of the following:
 - ▼ Enter the name of your SQL Server in the Server list box.
 - -OR-
 - If you do not know the name of your SQL Server, contact your computer support department or do the following:
 - 6.1. Click the **Load** button.

| 🔛 WKFS. | Wiz.APORUpdate | :r | | | | _ 🗆 🗙 |
|---------|----------------|------|-----|--------|--------|----------------|
| | Volters Klu | uwer | PCi | APOR L | Jpdate | Utility |
| Serve | × | | | | • | Load |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | Back | | Ne | st | | <u>C</u> ancel |



- 6.2. The software displays a confirmation dialog box.
- 6.3. Click the **Yes** button.

The software scans your local network for SQL Servers and displays them in the Server dropdown menu.

6.4. Select a SQL Server.



| 🔜 WKF5.Wiz.APORUpdater | |
|------------------------|---------------------|
| Wolters Kluwer PCi | APOR Update Utility |
| | Load |
| Back | iext Cancel |

7. Click the Next button.

The software downloads the data.



8. When the download has completed, click the **Close** button.

Installation of data is complete.

Note:

During download, the installer creates a log fileof installation operations in the same location in which the installer is located. For

| , | Operation Progress (WKFS.Wiz.APORUpdater) | |
|------|---|---------------------|
| se | Wolters Kluwer PCi | APOR Update Utility |
| | Update operation completed successfully | |
| m | | |
| 111- | Inserting Data into Temporary Table Data interfed successfully into Temporary Table Upoking optiming Data in ReferenceTata able data interfed successfully into temporary Table Inserting insertion Data in ReferenceTata Table Unover insertion ReferenceTata Table Removing the Temporary Table Temporary Table removed successfully | |
| of | | |
| ı | <u></u> lose | |
| ch | | /// |

example, if you downloaded the installer to your desktop, the log file is created on your desktop.